

FIG. 1B (PRIOR ART)

ŧ







FIG. 2 (PRIOR ART)




Ė





£

Ł



ISUP MTP AAL1 ATM

FIG. 3D

DSS1	
LAPD	
AAL1	
ATM	

FIG. 3E FIG. 3F FIG. 3G

V5 CARRYING PSTN, ISTN, OR OTHER
AAL1
ATM

PROPRIETARY	
AAL1	
ATM	







FIG. 3H











FIG. 6






FIG. 8








FIG. 9

TDM









FIG. 11






FIG. 13





FIG. 14









FIG. 16










FIG. 18A





FIG. 18B




- The part of a signalling link configured by TN commands (A)

 The part of a signalling link configured by ATM Management System (B)

 The part of a signalling line configured by TN commands
- -- The part of a leased line configured by ATM Management System (C) & (D)

FIG. 19







FIG. 20B

*







FIG. 22

æ



2105 TN TN 2105-Add Port Res Add Port 2350 2355 Add Port Res Add Port 2350 2355 ML SD Table 2325 BN Table 2305 SD1 ID ID MG Logical Port ID MG Logical Port SD2 ID ID_\ MG Logical, Port SD3, 2250 2115 -2320 2315

FIG. 23B




FIG. 24




FIG. 25




FIG. 26




FIG. 27